

# APPENDIX 1

## RESIDENTIAL REQUIREMENTS

### Appendix 1.1. Energy Efficiency Certificate (Section 401.3)

**TABLE 401.9  
ENERGY EFFICIENCY CERTIFICATE**

Builder, Permit Holder or Registered Design Professional Print Name:	
Signature:	
Property Address:	
Date:	
<b>Insulation Rating - List the value covering largest area to all that apply</b>	R-Value
Ceiling/roof:	R-
Wall:	R-
Floor:	R-
Closed Crawl Space Wall:	R-
Closed Crawl Space Floor:	R-
Slab:	R-
Basement Wall:	R-
<b>Fenestration:</b>	
U-Factor	
Solar Heat Gain Coefficient (SHGC)	
<b>Building Air Leakage</b>	
<input type="checkbox"/> Visually inspected according to 402.4.2.1 OR	
<input type="checkbox"/> Building Air Leakage Test Results (Sec. 402.4.2.2) ACH50 [Target: 5.0] or CFM50/SFSA [Target: 0.30]	
Name of Tester/Company:	
Date:	Phone:
<b>Ducts:</b>	
Insulation	R-
Total Duct Leakage Test Result (Sect. 403.2.2) (CFM25 Total/100SF) [Target: 6]	
Name of Tester or Company:	
Date:	Phone:
Certificate to be displayed permanently	